

Hexa



Flight cases / 19" racks & 19" studio racks / 19" racks

Opentop®
19" shock mounted Rack
2x16U depth 700 mm



CARACTÉRISTIQUES TECHNIQUES

Référence produit	ORR TS2X16U70
Poids brut (kg)	85.00
Poids net (kg)	81.00
Brand	OPENTOP®
Overall dimensions with wheels (mm)	800x1200xH985
Useful height (U)	2x16U
Useful height (mm)	2x711
Useful depth (mm)	700
Maximum device depth (mm)	700 mm
Type of Opening	Front and rear lids, sliding and hidden in the top and the bottom of the case

DOUBLE OPENTOP® SHOCK MOUNTED RACK 2X16U DEPTH 700 MM

A high-end 19" Double rack for your delicate 19" equipment

Designed to meet the needs of the most demanding professionals, the 19" rack Opentop® is the ideal solution for transporting and protecting fragile and sensitive equipment. Manufactured in Alsace (France) by Rythmes & Sons, the Opentop® rack is part of our premium range, combining robustness, ergonomics, and functionality.

Its 9 mm all-birch plywood structure ensures exceptional durability. The black hexagonal coating is ultra-resistant to shocks, scratches, and impacts, guaranteeing the safety of your equipment in all circumstances. The Opentop® stands out with its flat front and rear covers, which are sliding and retractable at the top. This opening/closing system prevents the covers from being misplaced while facilitating access to your 19" equipment. Its ergonomic OpenRoad® closure system, patented by Rythmes & Sons in 1996, allows for easy opening and closing with a single-pressure latch. For enhanced security, an optional lock can be added to prevent unauthorized access.

Designed for intensive use, this 19" rack is equipped with recessed handles with a double return spring, ensuring automatic retraction to a flat position to prevent snagging during handling. Reinforcement brackets are installed inside the rack to enhance durability and prevent deformation.

This double Opentop® rack is also equipped with 6 Ø100 swivel casters, including 3 with brakes, ensuring smooth and effortless movement even under heavy loads. The casters are designed to perform well on a variety of surfaces, including concrete, wood flooring, carpet, and uneven terrain. These non-marking casters protect surfaces without leaving any traces. Their silent rolling enhances user comfort, especially in environments where discretion is essential.

The rack also features recessed stacking cups, allowing multiple racks to be stacked with casters. This optimizes floor space during truck loading or while setting up for performances and events.

The 19" rack Opentop® is also equipped with steel racking profiles at the front and rear, mounted on Silentblocks to absorb shocks and protect the integrity of your 19" equipment. To secure your equipment in the square-hole racking profiles, M6 cage nuts are provided.

To simplify equipment management, the Opentop® rack includes an A5-format tour label cup, allowing you to attach documents or labels for quick and easy content identification, avoiding errors during transport or storage.

Material	9 mm birch plywood	Developed and manufactured by Rythmes & Sons in France
Finishing	Heavy-duty Hexagonal Pattern	
Color	Black	
Type of Latches	Recessed sliding latches	
Number of Latche(s)	2	
Type of Handle	Steel Recessed flip handle(s) with double sprung	
Number of Handle(s)	4	
Tour Label dish	Yes - A5 format	
Feet	Skates on the underside	
Dish for stacking	Yes	
Stackable	Oui	
Rack strip rails	Steel Front and back 19"	
Shock mounted	Yes, racking profiles mounted on Silentblocks	
Interior features		
Nuts + screws quantity	96	
Castors	6 swivel castors Ø100 (3 with brake) on plates	
Max. load	70kg (in option: 200kg max.)	
Packaged product		