

# OPEN-U®

Cases for displays



**Rythmes & Sons**

# Open-U®

## COMPOSITE CASES FOR DISPLAYS



**D**esigned and developed by Rythmes & Sons, Open-U® is an innovative concept of displays protection. Lightweight and economical, it follows the trend of new displays.


Its original and compact design ensures users to transport and store their displays safely. The foam for 1 or 2 displays are adjustable to their size.

Rythmes & Sons has developed a full range of Open-U® to carry and store displays from 15" to 86".

Open-U® is equipped with 4 non-slip rubber grips to move it easily (by a single person for the small ones). Velcro® closure system is fast, convenient and secure.

It represents a real alternative to flight-cases.

It is ideal for short move or the storage of your displays.




Lightweight



Resistant



Easy handling



Adjustable

# Advantages

## Lightweight

3 to 6 times lighter than a flight case

## Resistant

Very good protection against shocks and crashes (100 kg)  
Easy to clean

## Practical

4 non-slip rubber grips  
Easy to handle, by a single person for small ones

## Adjustable

Adjustables foams  
which facilitates storage of the displays of different sizes

## Economic

The Open-U® is an economical alternative to flight-cases

## Ergonomic


Modern and compact  
it fits into any space

## Design

Aesthetic and practical, available in 2 colors: grey and black

**100% recyclable**

# Open-U® from 15" to 60"














1 or 2 displays  
ref. FVE U20.2-x  
FVE U30.2-x  
FVE U40.2-x  
FVE U50.2-x



1 display  
ref. FVE U60.1-x




or



Range of Open-U®	15"/26"	23"/37"	32"/42"	40"/55"	50"/60"
					
References	FVE U20.2-G	FVE U30.2-G	FVE U40.2-G	FVE U50.2-G	FVE U60.1-G
Storage capacity	 1 or 2	 1 or 2	 1 or 2	 1 or 2	 1
Maximum display width in mm	370 to 670	530 to 830	730 to 1030	980 to 1280	1110 to 1410
Maximum display height in mm	425	530	640	830	910
Overall dimensions (L x l x H in mm)	790 x 305 x 610	950 x 205 x 660	1150 x 205 x 760	1400 x 205 x 960	1500 x 205 x 1010
Net weight in kg	6,1	6,5	8,1	12,5	13,5

In option	Reference	Description
	FVE UWB30-60	Composite board on castors for 2 Open-U® from size 30 to 60
	FVE UWK20	Kit of 2 casters for Open-U® case


# Open-U® from 60" to 86"







6 FOAMS PER OPEN-U® :


- 4 side foams are to be positioned according to the size of the displays
- 1 fixed foam in the top and bottom

1 display





Range of Open-U®	60"/70"	70"/86"
		
Color : grey	FVE U70D.1-G	FVE U80D.1-G
Storage capacity		
Maximum monitor width in mm	1350 to 1680	1600 to 2100
Maximum monitor height in mm	750 to 1000	970 to 1220
Overall dimensions (L x l x H in mm)	1900 x 270 x 880 to 1130	2170 x 270 x 1100 to 1350
Net weight in kg	20	27

In option	Reference	Description
	FVE UWB70-80	Composite board on castors for 1 Open-U® size 70 and 80



# Rythmes & Sons

**[www.r-sons.com](http://www.r-sons.com)**

18, rue du Cor de Chasse 67400 ILLKIRCH - FRANCE

Phone : +33 (0) 388 650 615

Fax : +33 (0) 388 670 934